

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,951,771 B2
DATED : October 4, 2005
INVENTOR(S) : Takaharu Kondo et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [56], **References Cited**, OTHER PUBLICATIONS, delete

"A Particle Agglutination Assay For Rapid Identification Of Heparin Binding To Coagulase-negative Staphylococci," C. Pascu, et al., J. Med. Microbiol., vol. 45, pp. 263-269 (1996)."

Insert -- Sannomiya et al., a-SiC/a-Si/a-SiGe Multi-Bandgap Stacked Solar Cells With Bandgap Profiling, Technical Digest of the International PVSEC-5, Kyoto, JP, 1990, pp. 387-390. --.

Column 9.

Line 66, "is method is" should read -- is --.

Column 11.

Line 9, "improved" should read -- improve --.

Column 12.

Line 18, "sate," should read -- state, --.

Column 16.

Line 65, "to 9-4)" should read -- to 9-5) --.

Column 17.

Line 1, "0.05 nm/s," should read -- 0.05 nm/s, 0.1 nm/s, --.

Column 21.

Lines 25 and 28, "respect" should read -- respect to --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,951,771 B2
DATED : October 4, 2005
INVENTOR(S) : Takaharu Kondo et al.

Page 2 of 2


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23,

Table 7, "Example 9-6" should read -- Example 9-5 --.

Signed and Sealed this

Second Day of May, 2006

A handwritten signature in black ink, reading "Jon W. Dudas", is written over a rectangular area with a dotted border.

JON W. DUDAS

Director of the United States Patent and Trademark Office